Index

[References are to page numbers]

A

Abbreviated Departure Clearance, 4–3–3
Abbreviated Transmissions, 2–4–2
Abbreviations, 1–2–3
Additional Separation for Formation Flights, 5–5–4
Adjacent Airspace, 5–5–5
Adjusted Minimum Flight Level, 4–5–2
Advance Descent Clearance, 4–7–1
Aerial Refueling, 9–3–4
Air Defense Exercise Beacon Code Assignment, 5–2–4
Air Traffic Services Interfacility Data Communications (AIDC), 8–2–1
Airborne Military Flights, 2–2–3
Aircraft Bomb Threats, 10–2–4
Aircraft Carrying Dangerous Materials, 9–3–1
Aircraft Equipment Suffix (Strips), 2–3–9
Aircraft Identification, 2–4–7
Aircraft Identity (Strips), 2–3–8
Aircraft Information (Experimental), C–1
Aircraft Information (Fixed–Wing), A–1
Aircraft Information (Helicopters), B–1
Aircraft Information (Homebuilt), C–1
Aircraft Information (Rotorcraft), B–1
Aircraft Orientation, 10–2–1
Aircraft Position Plots, 10–3–2
Aircraft Type (Strips), 2–3–9
Aircraft Types, 2–4–10
Airport Conditions, 3–3–1, 4–7–5
Airport Ground Emergency, 10–1–2
Airport Lighting, 3–4–1
Airport Surface Detection Procedures, 3–6–1
Airspace Classes, 2–4–10
Airways and Routes, 2–5–1
AIT, 5–4–5
Alignment Accuracy Check (Radar), 5–1–1
ALNOT, 10–3–2
ALNOT Cancellation, 10–3–2
ALS Intensity Settings, 3–4–2
ALSF–2/SSALR, 3–4–2
Alternative Routes, 4–4–3
Altimeter Setting (Oceanic), 8–1–1
Altimeter Settings, 2–7–1
Altitude Amendments, 4–2–1
Altitude and Distance Limitations, 4–1–1
Altitude Assignment and Verification, 4–5–1
Altitude Assignment for Military High Altitude Instrument Approaches, 4–8–4
Altitude Confirmation – Mode C, 5–2–7
Altitude Confirmation – Non–Mode C, 5–2–7
Altitude Confirmation – Nonradar, 4–5–6
Altitude Filters (Beacon), 5–2–8
Altitude for Direction of Flight (IFR), 4–5–1
Altitude for Direction of Flight (OTP), 7–3–1
Altitude Instructions, 4–5–3
Altitude Restricted Low Approach, 3–10–7
ALTRV Clearance, 4–2–2
ALTRV Information, 2–2–2
Annotations, 1–2–3
Anticipated Altitude Changes, 4–5–6
Anticipating Separation (ATCT – Arrival), 3–10–6
Anticipating Separation (ATCT – Departure), 3–9–3
Approach Clearance Information, 4–8–5
Approach Clearance Procedures, 4–8–1
Approach Control Service for VFR Arriving Aircraft, 7–1–1
Approach Information (Arrivals), 4–7–4
Approach Lights, 3–4–1
Approach Separation Responsibility, 5–9–4
Approaches to Multiple Runways (Visual), 7–4–2
Arctic CTA, 8–10–1
Arresting System Operations, 3–3–3
Arrival Information, 4–7–3
Arrival Information by Approach Control Facilities, 4–7–4

[References are to page numbers]

Arrival Instructions (Radar), 5–9–2
Arrival Procedures, 4–7–1
Arrival Procedures and Separation (ATCT), 3–10–1
Arrivals on Parallel or Nonintersecting Diverging Runways (Radar), 5–8–3
ARTS, 5–15–1
ATC Assigned Airspace, 9–4–1
ATC Service, 2–1–1
ATIS Application, 2–9–1
ATIS Content, 2–9–1
ATIS Procedures, 2–9–1
Authorized Interruptions, 2–4–1
Authorized Relays, 2–4–1
Authorized Transmissions, 2–4–1
Automated Information Transfer, 5–4–5
Automated Radar Terminal Systems – Terminal, 5–15–1
Automatic Altitude Reporting, 5–2–7
Automation – En Route, 5–14–1
Avoidance of Areas of Nuclear Radiation, 9–3–7
AWACS Special Flights, 9–3–7

B

Balloons, Unmanned Free, 9–7–1
Beacon Code for Pressure Suit Flights and Flights Above FL 600, 5–2–4
Beacon Code Monitor, 5–2–5
Beacon Identification Methods, 5–3–1
Beacon Range Accuracy, 5–1–2
Beacon Systems, 5–2–1
Beacon Target Displacement, 5–5–5
Beacon Termination, 5–2–8
Below Minima Report by Pilot, 4–7–3
Braking Action, 3–3–2
Braking Action Advisories, 3–3–2

C

Calm Wind Conditions, 2–6–3
Canadian Airspace Procedures, 12–1–1
Cancellation of Takeoff Clearance, 3–9–7
Caribbean ICAO Region, 8–8–1
Celestial Navigation Training, 9–3–1
Charted Visual Flight Procedures, 7–4–3
Circling Approach, 4–8–4
Class A Airspace Restrictions, 7–1–1
Class B Separation, 7–9–2
Class B Service Area (Terminal), 7–9–1
Class C Separation, 7–8–1
Class C Service (Terminal), 7–8–1
Clearance Beyond Fix, 4–6–2
Clearance Delivery Instructions, 4–2–1
Clearance for Visual Approach, 7–4–1
Clearance Information (Arrivals), 4–7–1
Clearance Items, 4–2–1
Clearance Items (Airfile), 4–2–3
Clearance Limit, 4–8–4
Clearance Prefix, 4–2–1
Clearance Relay, 4–2–1
Clearance Status (Strips), 2–3–9
Clearance to Holding Fix, 4–6–1
Clearance Void Times, 4–3–5
Closed Runway Information, 3–3–1
Closed Traffic, 3–10–7
Coast Tracks, 5–14–2
Communications Failure, 10–4–1
Communications Release (Approaches), 4–8–4
Composite Separation Minima (Oceanic), 8–9–1
Computer Entry of Assigned Altitude, 5–14–1
Computer Message Verification, 2–2–2
Conflict Alert (Host), 5–14–1
Conflict Alert/Mode C Intruder (MCI) (ARTS), 5–15–1
Constraints Governing Supplements and Procedural Deviations, 1–1–2
Contact Approach, 7–4–3
Control Symbology (Strip), 2–3–9
Control Transfer, 2–1–6
Controller Initiated Coast Tracks, 5–14–2

[References are to page numbers]

Coordinate Use of Airspace, 2–1–6

Coordination Between Local and Ground Controllers, 3–1–1

Coordination with Receiving Facility (Departures), 4–3–6

Course Definitions, 1–2–2

Crossing Altitude, 4–1–2

CVFP, 7–4–3

D

Decision Support Tools, 13–1–1

Degree – Distance Route Definition for Military Operations, 4–4–2

Delay Sequencing (Departures), 4–3–6

Department of Energy Special Flights, 9–3–1

Departure and Arrival (Radar Separation), 5–8–3

Departure Clearances, 4–3–1

Departure Control Instructions (ATCT), 3–9–1

Departure Delay Information (ATCT), 3–9–1

Departure Information (ATCT), 3–9–1

Departure Procedures, 4–3–1

Departure Procedures and Separation (ATCT), 3–9–1

Departure Restrictions, 4–3–5

Departure Terminology, 4–3–1

Departures on Parallel or Nonintersecting Diverging Runways (Radar), 5–8–3

Deviation Advisories (Protected Airspace), 5–1–3

Discrete Environment (Beacon), 5–2–1

Disseminating Weather Information, 2–6–4

DOE, 9–3–1

Duty Priority, 2–1–1

E

E–MSAW, 5–14–1

ECM/ECCM Activity, 5–1–2

Edge of Scope, 5–5–5

Electronic Cursor, 5–1–3

ELT, 10–2–3

Emergencies, 10–1–1

Emergencies Involving Military Fighter–Type Aircraft, 10–1–2

Emergency Airport Recommendation, 10–2–5

Emergency Assistance, 10–2–1

Emergency Code Assignment, 5–2–3

Emergency Control Actions, 10–4–1

Emergency Lighting, 3–4–1

Emergency Locator Transmitter Signals, 10–2–3

Emergency Obstruction Video Map, 10–2–6

Emergency Procedures (Oceanic), 10–6–1

Emergency Situations, 10–2–1

Emphasis for Clarity, 2–4–4

En Route Data Entries (Strips), 2–3–3

En Route Minimum Safe Altitude Warning, 5–14–1

En Route Sector Team Responsibilities, 2–10–1

Entry of Reported Altitude, 5–14–2

EOVM, 10–2–6

Equipment on Runways, 3–1–2

Establishing Two–Way Communications (Class D), 3–1–5

Evasive Action Maneuvers, 9–3–8

Expeditious Compliance, 2–1–3

Experimental Aircraft Operations, 9–3–2

Explosive Cargo, 10–5–1

Explosive Detection K–9 Teams, 10–2–5

F

FAA Research and Development Flights, 9–3–2

Facility Identification, 2–4–7

Failed Transponder in Class A Airspace, 5–2–6

Failure to Display Assigned Beacon Code, 5–2–5

False or Deceptive Communications, 2–4–1

Far Field Monitor (FFM) Remote Status Unit, 3–3–4

Final Approach Course Interception, 5–9–1

Fix Use, 4–1–2

Flight Check Aircraft, 9–1–1

Flight Direction Exceptions, 4–5–2

[References are to page numbers]

Flight Plans and Control Information, 2–2–1
Flight Progress Strips, 2–3–1
FLYNET, 9–3–2
Formation Flight Additional Separation, 5–5–4
Formation Flights, 2–1–6
Forward Departure Delay Information, 4–3–6
Forwarding Amended and UTM Data, 2–2–3
Forwarding Approach Information by Nonapproach Control Facilities, 3–10–1
Forwarding Departure Times, 4–3–6
Forwarding Flight Plan Data Between U.S. ARTCC's and Canadian ACC's, 2–2–4
Forwarding Information, 2–2–1
Forwarding VFR Data, 2–2–1
Fuel Dumping, 9–5–1
Function Code Assignments, 5–2–2

G

GPA 102/103 Correction Factor, 5–5–5
Ground Missile Emergencies, 10–7–1
Ground Operations, 3–7–3
Ground Operations When Volcanic Ash is Present, 3–1–5
Ground Traffic Movement, 3–7–1

H

Helicopter Arrival Separation, 3–11–3
Helicopter Departure Separation, 3–11–2
Helicopter Landing Clearance, 3–11–4
Helicopter Operations, 3–11–1
Helicopter Takeoff Clearance, 3–11–1
High Intensity Runway Lights, 3–4–3
High Speed Turnoff Lights, 3–4–4
Hijacked Aircraft, 10–2–2
HIRL, 3–4–3
HIRL Associated with MALSR, 3–4–3
HIRL Changes Affecting RVR, 3–4–4
HIWAS, 2–6–1
Hold for Release, 4–3–5
Holding Aircraft, 4–6–1
Holding Delays, 4–6–2
Holding Flight Path Deviation, 4–6–3
Holding Instructions, 4–6–2
Holding Pattern Surveillance, 5–1–3
Holding Points (Visual), 4–6–3

I

ICAO Phonetics, 2–4–4
IFR – VFR Flights, 4–2–2
IFR Flight Progress Data, 2–2–1
IFR to VFR Flight Plan Change, 2–2–1
ILS Protection/Critical Areas (Holding), 4–6–3
Inflight Deviations from Transponder/Mode C Requirements Between 10,000 Feet and 18,000 Feet, 5–2–7
Inflight Equipment Malfunctions, 2–1–4
Inhibiting Low Altitude Alert System (TPX–42), 5–16–1
Inhibiting Minimum Safe Altitude Warning (ARTS), 5–15–2
Initial Heading, 5–8–1
Inoperative Interrogator, 5–2–5
Inoperative/Malfunctioning Transponder, 5–2–5
Interceptor Operations, 9–3–3
Interfacility Automated Information Transfer, 5–4–5
Interphone Message Format, 2–4–2
Interphone Message Termination, 2–4–3
Interphone Transmission Priorities, 2–4–2
Intersecting Runway Separation (Arrival), 3–10–3
Intersecting Runway Separation (Departure), 3–9–5

J

Jettisoning of External Stores, 9–6–1

K

K–9 Teams, 10–2–5

[References are to page numbers]

L

LAAS, 5–16–1
Landing Area Condition, 3–3–1
Landing Clearance, 3–10–5
Landing Clearance Without Visual Observation, 3–10–6
Landing Information (ATCT), 3–10–1
Lateral Separation (Nonradar), 6–5–1
Lateral Separation (Oceanic), 8–4–1
Law Enforcement Operations by Civil and Military Organizations, 9–3–4
Light Signals (ATCT), 3–2–1
Longitudinal Separation (Nonradar), 6–4–1
Longitudinal Separation (Oceanic), 8–3–1
Low Approach, 4–8–6
Low Level Wind Shear Advisories, 3–1–2
Lowest Usable Flight Level, 4–5–2

M

Mach Number Technique, 8–3–2
Malfunctioning Interrogator, 5–2–5
MALSR/ODALS, 3–4–2
Manual Input of Computer Assigned Beacon Codes, 2–2–2
Medium Intensity Runway Lights, 3–4–4
Merging Target Procedures, 5–1–3
Military DVFR Departures, 2–2–1
Military Operations above FL 600, 9–3–6
Military Procedures, 2–1–5
Military Single Frequency Approaches, 5–10–5
Military Special Use Frequencies, 9–3–7
Military Training Routes, 9–3–2
Minimum En Route Altitudes, 4–5–2
Minimum Fuel, 2–1–4
MIRL, 3–4–4
Missed Approach, 4–8–5
Missed Approach (Radar Approach), 5–10–4
Mixed Environment (Beacon), 5–2–1
Mode C Intruder Alert (Host), 5–14–1
Monitoring Radios, 2–4–1
MSAW, 5–15–2

N

National Route Program (NRP), 2–2–4
NAVAID Fixes, 2–5–2
NAVAID Malfunctions, 2–1–4
NAVAID Terms, 2–5–1
NAVAID Use Limitations, 4–1–1
Navy Fleet Support Missions, 10–5–1
No–Gyro Approach, 5–10–2
Nondiscrete Environment (Beacon), 5–2–1
Nonradar, 6–1–1
Nonradar Initial Separation of Departing and Arriving Aircraft, 6–3–1
Nonradar Initial Separation of Successive Departing Aircraft, 6–2–1
Nonradar Timed Approaches, 6–7–1
Nonstandard Formation/Cell Operations, 9–3–8
NORAD Special Flights, 9–3–7
North American ICAO Region, 8–10–1
North Atlantic ICAO Region, 8–7–1
Notes, 1–2–2
Number Clarification, 2–4–7
Numbers Usage, 2–4–5

O

Observed Abnormalities, 3–1–4
Obstruction Lights, 3–4–4
Oceanic Coordination, 8–2–1
Oceanic Navigational Error Reporting (ONER) Procedures, 8–1–1
Oceanic Procedures, 8–1–1
Oceanic Separation, 8–1–1
Oceanic Transition Procedures, 8–5–1
Oceanic VFR Flight Plans, 8–1–1
Offshore Procedures, 8–1–1
Offshore Transition Procedures, 8–5–1

[References are to page numbers]

Open Skies Treaty Aircraft, 9–3–9
Operational Priority, 2–1–2
Operational Requests, 2–1–8
Overdue Aircraft, 10–3–1
Overhead Maneuver, 3–10–7

P

Pacific ICAO Region, 8–9–1
PAR Approaches – Terminal, 5–12–1
Parachute Jumping, 9–8–1
Parallel Dependent ILS/MLS Approaches, 5–9–6
Passing or Diverging, 5–5–3
Personnel on Runways, 3–1–2
Pilot Acknowledgment/Read Back, 2–4–1
PIREP Information, 2–6–1
Point Out, 5–4–4
Position Determination (Airports), 3–1–2
Position Information (Radar), 5–3–2
Position Report (Oceanic), 8–1–1
Position Reporting (Radar), 5–1–4
Position Responsibilities, 2–10–1
Practice Approaches, 4–8–5
Practice Precautionary Approach, 3–10–8
Precision Approach Critical Area, 3–7–3
Preventive Control (Airports), 3–1–1
Primary Radar Identification Methods, 5–3–1
Priority Interruptions, 2–4–2
Procedural Letters of Agreement, 1–1–1
Procedural Preference, 2–1–1

Q

Questionable Identification, 5–3–2

R

Radar Approaches – Terminal, 5–10–1
Radar Arrivals, 5–9–1
Radar Beacon Changes for Military Aircraft, 4–7–1
Radar Beacon Code Changes, 5–2–2
Radar Departures, 5–8–1
Radar Fix Posting, 5–1–3
Radar Identification, 5–3–1
Radar Identification Status, 5–3–2
Radar Presentation and Equipment Performance, 5–1–1
Radar Separation, 5–5–1
Radar Separation Application, 5–5–1
Radar Separation Minima, 5–5–2
Radar Separation Vertical Application, 5–5–3
Radar Service Limitations, 5–1–2
Radar Service Termination, 5–1–4
Radar Use, 5–1–1
Radio and Interphone Communications, 2–4–1
Radio Communications, 2–4–1
Radio Communications Transfer, 2–1–7
Radio Failure (Beacon), 5–2–3
Radio Frequency Changes for Military Aircraft, 4–7–1
Radio Message Format, 2–4–2
Receiver–Only Acknowledgment (ATCT), 3–2–1
Receiving Controller Handoff, 5–4–3
Recording Information, 2–2–1
Reduced Vertical Separation Minimum (RVSM), 4–5–1
Reduction of Route Protected Airspace (Oceanic), 8–4–3
References, 1–2–3
REIL, 3–4–1
Relayed Approach Clearance, 4–8–4
Release Times, 4–3–5
Reporting Essential Flight Information, 2–1–4
Reporting Weather Conditions, 2–6–3
Responsibility Transfer to RCC, 10–3–2
Rotating Beacon, 3–4–4
Route Amendments, 4–2–1
Route and NAVAID Description, 2–5–1
Route Assignment, 4–4–1

[References are to page numbers]

Route Structure Transitions, 4–4–2
Route Use, 4–4–1
Routes in Class G Airspace, 4–4–3
Runway Centerline Lights, 3–4–3
Runway Edge Lights, 3–4–3
Runway End Identifier Lights, 3–4–1
Runway Exiting, 3–10–6
Runway Proximity, 3–7–3
Runway Selection, 3–5–1
RVR/RVV, 2–8–1

S

Safety Alert, 2–1–3
Same Runway Separation (Arrival), 3–10–1
Same Runway Separation (Departure), 3–9–3
SAR, 10–3–1
SAR Information to be Forwarded to ARTCC, 10–3–1
SAR Information to be Forwarded to RCC, 10–3–1
Sea Lane Operations, 3–12–1
Search and Rescue, 10–3–1
Sector Eligibility, 5–14–2
Selected Altitude Limits, 5–14–2
Separation from Airspace Reservations, 8–6–1
Separation from Obstructions, 5–5–4
Sequence/Spacing Application, 3–8–1
Sequenced Flashing Lights, 3–4–2
SFA, 4–7–1
SFO Approach, 3–10–8
Side–Step Maneuver, 4–8–4
Simulated Flameout Approach, 3–10–8
Simultaneous Approach and Runway Edge Light Operation, 3–4–4
Simultaneous Departures (Radar), 5–8–1
Simultaneous Independent Dual ILS/MLS Approaches – High Update Radar, 5–9–8
Simultaneous Independent ILS/MLS Approaches – Dual & Triple, 5–9–7
Simultaneous Landings or Takeoffs (Helicopter), 3–11–3
Simultaneous Opposite Direction Operation, 3–8–2
Simultaneous Same Direction Operation, 3–8–1
Single Frequency Approaches, 4–7–1
Spacing and Sequencing (ATCT), 3–8–1
Special Flights, 9–1–1
Special Interest Flights, 9–2–1
Special Operations, 9–3–1
Special Use Airspace, 9–4–1
Special VFR, 7–5–1
Specifying Altitude (Approaches), 4–8–4
Speed Adjustment, 5–7–1
Speed Adjustment Minima, 5–7–3
Speed Adjustment Termination, 5–7–3
Standby or Low Sensitivity Operation, 5–2–4
STOL Runways, 3–5–1
Stop–and–Go Low Approach, 3–8–1
Successive Departures (Radar), 5–8–1
Surface Area Restrictions, 3–1–5
Surface Areas, 2–1–6
Surveillance Approaches – Terminal, 5–11–1
SVFR, 7–5–1
Switching ILS/MLS Runways, 4–7–5

T

Tailwind Components, 3–5–1
Takeoff Clearance, 3–9–7
Target Markers, 5–3–2, 5–3–3
Target Resolution, 5–5–1
Target Separation, 5–5–1
Taxi and Ground Movement Operations, 3–7–1
Taxi and Ground Movement Procedures, 3–7–1
Taxi into Position and Hold (TIPH), 3–9–2
Taxiway Lights, 3–4–4
Teletype Flight Data Format – U.S. ARTCC's – Canadian ACC's, 2–2–4
Temporary Moving Airspace Reservations, 8–6–1
Temporary Stationary Airspace Reservations, 8–6–1

[References are to page numbers]

Terminal Automation Systems Identification Methods, 5–3–2
Terminal Data Entries (Strips), 2–3–5
Terminal Radar Service Area, 7–7–1
Terminal Radar/Nonradar Team Position Responsibilities, 2–10–2
Through Clearances, 4–2–2
Timely Information (ATCT), 3–3–1
Touch–and–Go Approach, 4–8–6
Touch–and–Go Low Approach, 3–8–1
Touchdown Zone Lights, 3–4–3
Tower Team Position Responsibilities, 2–10–5
TPX–42 – Terminal, 5–16–1
Track Separation (Oceanic), 8–4–4
Track Suspend Function (ARTS), 5–15–2
Traffic Advisories, 2–1–9
Traffic Information (Airports), 3–1–2
Traffic Management Procedures, 11–1–1
Transfer of Jurisdiction, 4–7–3
Transfer of Position (SOP), D–1
Transfer of Radar Identification, 5–4–1
Transfer of Radar Identification – Methods, 5–4–1
Transfer of Radar Identification – Terms, 5–4–1
Transfer of Radar Identification – Traffic, 5–4–2
Transferring Controller Handoff, 5–4–2
Transmit Proposed Flight Plan, 2–2–3
TRSA, 7–7–1
TRSA Separation, 7–7–1

U

Unidentified Flying Object (UFO) Reports, 9–9–1
Unmanned Free Balloons, 9–7–1
Unmonitored NAVAID's (Holding), 4–6–3
Unsafe Runway Information, 3–3–1
USAF/USN Undergraduate Pilots (Strips), 2–3–9
Use of Active Runways, 3–1–1
Use of MARSA, 2–1–5
Use of PAR for Approach Monitoring – Terminal, 5–13–1
Use of Tower Radar Displays, 3–1–4
User Request Evaluation Tool Core Capability Limited Deployment (URET CCLD), 13–1–1

V

Validation of Mode C Readout, 5–2–6
VASI, 3–4–1
Vectoring, 5–6–1
Vectors Across Final Approach Course, 5–9–2
Vectors Below Minimum Altitude, 5–6–2
Vectors for Visual Approach, 7–4–1
Vectors to Final Approach Course, 5–9–1
Vehicles on Runways, 3–1–2
Vertical Application Exceptions, 5–5–3
Vertical Separation (Nonradar), 6–6–1
Vertical Separation Minima, 4–5–1
VFR – IFR Flights, 4–2–2
VFR Aircraft in Weather Difficulty, 10–2–2
VFR Basic Radar Service (Terminal), 7–6–1
VFR Code Assignments, 5–2–3
VFR Conditions, 7–1–1
VFR Release of IFR Departure, 4–3–6
VFR–on–Top, 7–3–1
VFR–on–Top (NAVAID Use), 4–1–2
Visual, 7–1–1
Visual Approach Slope Indicators, 3–4–1
Visual Approaches, 7–4–1
Visual Holding of VFR Aircraft, 7–1–1
Visual Separation, 7–2–1
Visual Signals (ATCT), 3–2–1
Visually Scanning Runways, 3–1–5
Volcanic Ash, 10–2–6

W

Wake Turbulence, 2–1–8

Wake Turbulence Cautionary Advisories, 2–1–8

Wake Turbulence Separation for Intersection Departures, 3–9–4

Warning Signal (ATCT), 3–2–1

Weather and Chaff Services, 2–6–2

Weather Deviations, 8–9–2

Weather Familiarization, 2–6–1

Weather Information, 2–6–1

Weather Information (Arrivals), 4–7–3

Weather Reconnaissance Flights, 9–3–8

Withholding Landing Clearance, 3–10–6

Word Meanings, 1–2–1

Words and Phrases (Communications), 2–4–3